

TRUCKS AND BUSES



BUSINESS KA BADSHAH. TRUCK BHI. AAP BHI.

Eicher Pro 2055K
The 5.49 Tonne GVW Truck



Mileage ka Badshah

EUTECH 6

EUTECH 6

Eicher is creating a new benchmark in the Indian commercial vehicle industry, with a revolutionary BS VI solution that combines global technology with innovative support services. This solution doesn't just make your vehicle BS VI compliant but ensures higher productivity of the truck and profitability of your business.



Euro VI Expertise for 6 years

VECV has been manufacturing and supplying base engines to the Volvo Group since 2013. Over 1,00,000 Euro VI base engines supplied, operating in 41 countries. First to rollout BS VI CV range in India, incorporating expertise of Euro VI technology.




Efficient EATS and engine technology

Best fluid economy: Lower fuel consumption + DEF consumption combined. Reliable EATS + engine technology tested for over 56,00,000 km. Duty cycle based SCR for high reliability & low maintenance.



Enhanced UPTIME

Eicher Uptime Centre for 24x7 support by specialists. GPS enabled service vans just a phone call away. Remote diagnostics for quick repair of BS VI vehicles.



FUEL EFFICIENT E366 ENGINE: 3 CYLINDER, 4 VALVE 2 LITRE CRS ENGINE

THE RUGGED, RELIABLE CITY LOAD CHAMPION




Eicher Pro 2055K is one of the most profitable, reliable multi business city truck in Eicher Pro 2000 LT Range. It has the highest rated payload in its category, best in class turning radius, robust and rugged aggregates that ensure high reliability and durability; and cabin with superior driving comfort, while retaining its best in class fuel efficiency. Aptly known as the Mileage Ka Badshah, Eicher Pro 2055K ensures high profitability and prosperity for its owner.



Mileage Ka Badshah.

- 1» New Eicher E366 High performance CRS Engine.
- 2» **M Booster+** helps to get Best in class mileage with different payload selections with Power, Eco and Eco+ mode.
- 3» **Fuel Coaching** is a Driver's real time coach for improving fuel economy with dynamic Green band Zone which illuminates with right Speed and gears combination.
- 4» **Cruise Control** provides a fatigue free driving experience by maintaining speed without pressing pedal and helps improve mileage.
- 5» Flat torque range over a wide RPM range prevents frequent gear shift.



1»

Safety Ka Badshah.


- 1» Dual panel stronger and sturdier cabin.
- 2» Best-in-class crash worthiness cabin with 40% more survival space in roof and 75% in front collision.
- 3» Boundary protected DRL Headlamps.
- 4» Enhanced outside visibility for driver- bigger windshield, angular windows, better rear view via mirrors.



2»



3»




4»

Reliability Ka Badshah.

- 1» Lowest TCD for easiest maneuverability in congested city lanes.
- 2» Grease free suspension, silent bushes, zero maintenance.
- 3» Enhanced braking with increased brake size (reduces overheating, improves life), increased vacuum reservoir capacity (reinforced safety) and double diaphragm booster brakes (added comfort).
- 4» Cargo body strength increased by 40%.



2»



3»



4»



1»


Comfort Ka Badshah.

- 1» Upto 10 degree cooler cabin with heat insulation.
- 2» Compact yet spacious and comfortable 1.8 m city cab with Walk through cabin & lateral sleeping.
- 3» Comfy2.0 seating design - detachable head rest, 180mm seat travel with lumber support in thigh and back support.
- 4» Hybrid GSL, convenient Car like gear shift lever.

2»



3»




4»



Lifetime Support Solutions.

We ensure a seamless and hassle free experience from the time you consider buying an Eicher vehicle to the time you think of selling through our Lifetime Support Solutions. Our continuously improving and holistic services will ensure higher uptime and productivity for your BSVI vehicles.



Eicher has taken a step towards achieving Superior Uptime with a responsive attitude, that will set us apart and create a differentiated experience for our customer. With our new Uptime Center and Uptime Certified Workshops, we are now geared up with a proactive support system for diagnostic assistance with advanced diagnostic tools.



At Uptime Certified Workshops only
*T&C Apply

SPECIFICATIONS

Eicher Pro 2055K

GVW (kg)	5490
Wheelbase (mm)	2670
Cargo Body Length (mm)	3264
Cargo Body Width (mm)	1873
Engine	E366-75 kW-BSVI
Power	75 kW (~100 hp) @ 3200 rpm
Torque	285 Nm @ 1250-2500 rpm
Emission	BSVI
Transmission	EICHER 3M5D (PTO Optional)
Gear Type	5 Speed with hybrid gear shift lever
Cluth Dia (mm)	280
Gradability (%)	26
Steering	Tilt and telescopic, vaccum assisted standard power steering, Optional-Manual
Ground Clearance (mm)	190
TCD (m)	10.5
Battery	12 V - 100 Ah
Fuel Tank (Litre)	60 (Anti- corrosive composite HDP polymer)
Brakes	Hydraulic brakes (Drum)
Suspension (Front & Rear)	Grease free Semi-elliptical laminated leaves (shock absorber in front) with anti-roll bars at front & helper at rear
Tyres	7.50X16-16PR
Cabin	1.8m wide tiltable cabin. PEGASUS family look with eagle eyes. New interiors with infotainment system, steering mounted controls(opt.) and a lot of utility features


Unique Features



Sturdy & reliable–
Anti roll bar, enhanced
braking, BSK46 chassis



Enhanced Braking–
Double diaphragm booster
brake, bigger break liner



**Lowest TCD in
segment**



**Best-in-class
load body span of 10.7ft**



**Lifetime tax saving
with under 5500kg GVW**

Applications



Fruits & Vegetables



Milk



Poultry



LPG



Market Load



Beverages




FMCG



Fish



Water Bottles



Parcel & Courier



E Commerce



Food Grains



VE COMMERCIAL VEHICLES

A VOLVO GROUP AND EICHER MOTORS JOINT VENTURE

eichertrucksandbuses.com, Eicher Care: 1800 102 3531

VE COMMERCIAL VEHICLES LTD.

Registered Address – 3rd Floor Select Citywalk ,

A -3 District Centre, Saket, New Delhi 110 107, India.

CIN – U74900DL2008PLC175032

CORPORATE ADDRESS

Eicher Trucks & Buses

#96, Sector – 32, Gurgaon

122001, Haryana, India.

Caution: *Do not weld or drill on chassis frame. *Accessories, colours and features shown in pictures or elsewhere may not constitute standard fitment. *Weight mentioned is for standard configuration with standard body sizes and will change due to optional fitments. *As a result of continuous research and innovation carried out, specifications are merely indicative and are subject to change without notice.