

TRUCKS AND BUSES



BUSINESS KA BADSHAH. TRUCK BHI. AAP BHI.

Eicher Pro 2059 CNG
The 6.95 Tonne GVW Truck



Mileage ka Badshah

EUTECH 6

EUTECH 6

Eicher is creating a new benchmark in the Indian commercial vehicle industry, with a revolutionary BSVI solution that combines global technology with innovative support services. This solution doesn't just make your vehicle BSVI compliant but ensures higher productivity of the truck and profitability of your business.



Euro VI Expertise for 6 years

VECV has been manufacturing and supplying base engines to the Volvo Group since 2013.
Over 1,00,000 Euro VI base engines supplied, operating in 41 countries.
First to rollout BS VI CV range in India, incorporating expertise of Euro VI technology.




Efficient CATCON and Auto M Booster Plus Technology

Reliable 3 Way catalytic Converter
Auto Mileage Booster for Auto De-acceleration Fuel Cut off
WISE Technology



Enhanced UPTIME

Eicher Uptime Centre for 24x7 support by specialists.
GPS enabled service vans just a phone call away.
Remote diagnostics for quick repair of BS VI vehicles.



FUEL EFFICIENT E483 ENGINE: 4 CYLINDER, 2 VALVE 3.3 LITRE CNG ENGINE

THE CONVENIENT CITY CARRIER




Eicher Pro 2059 - A light truck that is designed to fit all your city mobility needs, conveniently. It has best in class passing payload and loading space compared to other light trucks in the category, an optimum wheelbase to navigate easily through the narrow city lanes; and compact yet roomy 1.8m cabin with superior driving comfort. All this, with the Eicher's specialty of best in class fuel efficiency. When it comes to delivering profit and performance, this light truck is way ahead of all other CNG City trucks.



Mileage Ka Badshah.

- 1 » New Eicher **E483** Engine high performance CNG Engine
 - 2 » **Fuel Coaching** is a Driver's real time coach for improving fuel economy with dynamic Green band Zone which illuminates with right Speed and gears combination.
 - 3 » **Auto M-Booster Plus Technology (Auto M-booster and WISE Technology).**
 - 4 » **Auto Mileage Booster – Auto De-Acceleration Fuel Cut off.**
- WISE Technology –**» W- Wisdom of Auto Misfire detection.
- » I - Intelligent Ambient temp adjustment.
 - » SE - Smart Exhaust lambda sensors for mileage improvement.



1»

Safety Ka Badshah.

- 1 » Stronger and Sturdier Dual Panel Cabin that passes Pendulum test.
- 2 » Anti-roll bars in front and rear for higher vehicle stability.
- 3 » 40% more survival space in roof, 75% in front collision.
- 4 » Boundary protected DRL Headlamps.





Reliability Ka Badshah.

- 1» Lowest TCD for easiest maneuverability in congested city lanes.
- 2» Grease free suspension, silent bushes, zero maintenance.
- 3» Double diaphragm booster brake with bigger brake liner
- 4» High strength advanced steel cargo body with increased corrugation depth and stronger tail gate



Comfort Ka Badshah.

- 1» Compact yet spacious and comfortable 1.8m city cab with Walk Through cabin with lateral Sleeping
- 2» Upto 10 degrees cooler cabin with heat insulation with best in class ambient noise reduction.
- 3» Comfy2.0 seating design with detachable head rest, 180mm seat travel with lumbar support in thigh and back support.
- 4» Pasted windshield with 7% improved visibility that lets drivers see without obstruction and improves safety.



Lifetime Support Solutions.

With our Lifetime Support Solutions, we ensure a seamless and hassle free experience from the time you consider buying an Eicher vehicle to the time you think of selling it. Our continuously improving and holistic services will ensure higher uptime and productivity for your BSVI vehicles.



Eicher has taken a step towards achieving Superior Uptime with a responsive attitude, that will set us apart and create a differentiated experience for our customer. With our new Uptime Center and Uptime Certified Workshops, we are now geared up with a proactive support system for diagnostic assistance with advanced diagnostic tools.



At Uptime Certified Workshops only
*T&C Apply

SPECIFICATIONS Eicher Pro 2059 CNG

GVW (kg)	6950
Wheelbase (mm)	3370
Cargo Body Length (mm)	4325
Cargo Body Width (mm)	2002
Engine	E483-NA BSVI CNG 70 kW
Power	70 kW (~95 hp) @ 3100 rpm
Torque	245 Nm @ 1600 rpm
Emission	BSVI
Fuel	CNG
Transmission	ET 3055
Gear Type	5 Speed with hybrid gear shift lever
Cluth Dia (mm)	275
Gradability (%)	26
Steering	Tilt and telescopic, Manual Steering
Ground Clearance (mm)	190
TCD (m)	13.2
Battery	12 V - 130 Ah
Fuel Tank (Litre)	270
Brakes	Hydraulic brakes (Drum)
Suspension (Front & Rear)	Grease free Semi-elliptical laminated leaves (Front) Semi-Elliptic Laminated Leafs (Rear) with anti- roll bar in both front & rear
Tyres	8.25X16-16PR
Cabin	1.8m wide tilttable cabin. PEGASUS family look with eagle eyes. New interiors with infotainment system, steering mounted controls(opt.) and a lot of utility features



VE COMMERCIAL VEHICLES
A VOLVO GROUP AND EICHER MOTORS JOINT VENTURE
eichertrucksandbuses.com, Eicher Care: 1800 102 3531

VE COMMERCIAL VEHICLES LTD.
Registered Address – 3rd Floor Select Citywalk,
A -3 District Centre, Saket, New Delhi 110 107, India.
CIN – U74900DL2008PLC175032

Unique Features



Lowest TCD in segment
helps easily maneuver tight city turns



Convenience for the city
haulage roomy 1.8m city cab,
best in class cargo body length,
power & pick up



Reliable and Rugged
anti-roll bar at front and rear,
enhanced braking



Best in class cabin comfort
lateral sleeping, increased visibility,
reduced cabin noise, better heat insulation



Lowest maintenance, next gen EMS,
imported high quality CNG components,
best in class warranty coverage

Applications



Fruits & Vegetables



Parcel & Courier



FMCG



White Goods



Fish



Market Load



Industrial components



Beverages

CORPORATE ADDRESS
Eicher Trucks & Buses
#96, Sector – 32, Gurgaon
122001, Haryana, India.

Caution: *Do not weld or drill on chassis frame. *Accessories, colours and features shown in pictures or elsewhere may not constitute standard fitment. *Weight mentioned is for standard configuration with standard body sizes and will change due to optional fitments. *As a result of continuous research and innovation carried out, specifications are merely indicative and are subject to change without notice.