

TRUCKS AND BUSES



BUSINESS KA BADSHAH. TRUCK BHI. AAP BHI.

Eicher Pro 2059XP CNG
The 7.49 Tonne GVW Truck



Mileage ka Badshah

EUTECH 6

EUTECH 6

Eicher is creating a new benchmark in the Indian commercial vehicle industry, with a revolutionary BSVI solution that combines global technology with innovative support services. This solution doesn't just make your vehicle BSVI compliant but ensures higher productivity of the truck and profitability of your business.



Euro VI Expertise for 6 years

VECV has been manufacturing and supplying base engines to the Volvo Group since 2013.
Over 1,00,000 Euro VI base engines supplied, operating in 41 countries.
First to rollout BS VI CV range in India, incorporating expertise of Euro VI technology.



Efficient CATCON and Auto M Booster Plus Technology

Reliable 3 Way catalytic Converter
Auto Mileage Booster for Auto De-acceleration Fuel Cut off
WISE Technology



Enhanced UPTIME

Eicher Uptime Centre for 24x7 support by specialists.
GPS enabled service vans just a phone call away.
Remote diagnostics for quick repair of BS VI vehicles.



FUEL EFFICIENT E483 ENGINE: 4 CYLINDER, 2 VALVE 3.3 LITRE CNG ENGINE

UNBEATABLE PRO IN HEAVY-DUTY CITY OPERATIONS




BIG ON PROFITS, Eicher Pro 2059XP is designed to be the best 'green' city freight carrier! Best in class power, maximum driving comfort, maximum payload with all heavy duty performance aggregates. It is one of the most profitable products of Eicher Pro series that is built to deliver Best in class fuel economy, fatigue free drive, high uptime, superior loading capacity and reliability in the most demanding haulage conditions. Pro 2059XP is unbeatable Pro when it comes maximizing earnings for the customer trip after trip.



Mileage Ka Badshah.

- 1 » New Eicher **E483** Engine high performance CNG Engine
 - 2 » **Fuel Coaching** is a Driver's real time coach for improving fuel economy with dynamic Green band Zone which illuminates with right Speed and gears combination.
 - 3 » **Auto M-Booster Plus Technology (Auto M-booster and WISE Technology).**
 - 4 » **Auto Milenge Booster – Auto De-Acceleration Fuel Cut off.**
- WISE Technology –** » W- Wisdom of Auto Misfire detection.
- » I - Intelligent Ambient temp adjustment.
 - » SE - Smart Exhaust lambda sensors for mileage improvement.



1»

Safety Ka Badshah.


- 1 » Stronger and Sturdier Dual Panel Cabin that passes Pendulum test.
- 2 » 40% more survival space in roof, 75% in front collision.
- 3 » Boundary protected DRL Headlamps.
- 4 » Double diaphragm booster brake with bigger brake liner, bigger vacuum reservoir



2»



3»




4»

Reliability Ka Badshah.

- 1» Domex 650 Chassis - with high tensile strength and Light Weight
- 2» Monotron propeller shaft, Grease free suspension, silent bushes, LOWEST maintenance.
- 3» High strength advanced steel cargo body with increased corrugation depth and stronger tail gate.
- 4» Standard helper suspension to support heavy city cargo applications.

1»



2»



3»



4»



Comfort Ka Badshah.

- 1» Comfortable 2m walk through cabin with lateral sleeping provision.
- 2» Upto 8 degrees cooler cabin with heat insulation with best in class ambient noise reduction.
- 3» Comfy2.0 seating design with detachable head rest, 180mm seat travel with lumber support in thigh and back support.
- 4» Pasted windshield with 7% improved visibility that lets drivers see without obstruction and improves safety.

2»



3»



4»



Lifetime Support Solutions.

With our Lifetime Support Solutions, we ensure a seamless and hassle free experience from the time you consider buying an Eicher vehicle to the time you think of selling it. Our continuously improving and holistic services will ensure higher uptime and productivity for your BSVI vehicles.



Eicher has taken a step towards achieving Superior Uptime with a responsive attitude, that will set us apart and create a differentiated experience for our customer. With our new Uptime Center and Uptime Certified Workshops, we are now geared up with a proactive support system for diagnostic assistance with advanced diagnostic tools.



At Uptime Certified Workshops only
*T&C Apply

SPECIFICATIONS Eicher Pro 2059XP CNG

GVW	7490	
Wheelbase (mm)	3770	
Cargo body length(mm)	4325	4938
Cargo Body width(mm)	2002	2002
Engine	E483-NA BS VI CNG 70KW	
Max. Power Output	70 kW (~95 hp) @ 3100 rpm	
Max. Torque Output	245 Nm @ 1600	
Emission	BS VI	
Fuel	CNG	
Gearbox	ET 3055	
Gear Shift	5 Speed with hybrid gear shift lever	
Clutch Dia (mm)	310	
Gradeability (%)	22	
Steering	Tilt and telescopic, vacuum assisted standard power steering	
Turning Circle Diameter (m)	14.8	
Ground Clearance (mm)	195	
Fuel Tank (Litre)	250	320
Battery	12 V - 130 Ah	
Brakes	Hydraulic brakes (Drum)	
Suspension	Grease free Semi-elliptical laminated leaves (Front) Semi-elliptical laminated leafs, grooved springs (Rear), Helper in 16.2ft	
Tyre Size	8.25X 16- 16PR	
Cabin	2m wide tilttable cabin. PEGASUS family look with eagle eyes. New interiors with infotainment system, steering mounted controls (opt.) and a lot of utility features	



VE COMMERCIAL VEHICLES
A VOLVO GROUP AND EICHER MOTORS JOINT VENTURE
eichertrucksandbuses.com, Eicher Care: 1800 102 3531

VE COMMERCIAL VEHICLES LTD.
Registered Address – 3rd Floor Select Citywalk,
A -3 District Centre, Saket, New Delhi 110 107, India.
CIN – U74900DL2008PLC175032


Unique Features



India's first 16ft CNG city truck



Best-in-class performance,
trip after trip



Rugged Aggregates
helper suspension, metallic bumper,
DOMEX chassis



Premium features are the
new standard



Best in class convenience:
6T Hydraulic jack, Largest Fuel Tank in class,
larger battery, lowest maintenance

Applications



Fruits & Vegetables



Parcel & Courier



FMCG



White Goods



Fish



Market Load



Industrial components



Beverages

CORPORATE ADDRESS
Eicher Trucks & Buses
#96, Sector – 32, Gurgaon
122001, Haryana, India.

Caution: *Do not weld or drill on chassis frame. *Accessories, colours and features shown in pictures or elsewhere may not constitute standard fitment. *Weight mentioned is for standard configuration with standard body sizes and will change due to optional fitments. *As a result of continuous research and innovation carried out, specifications are merely indicative and are subject to change without notice.