

*A VEHICLE FOR LAST MILE
DELIVERY LIKE NEVER BEFORE.*

***THE NEW
ELECTRIC
TREQ ZOR.***



TREQ

Zor

**SAVINGS LIKE
NEVER BEFORE.**

**ADDITIONAL
₹ 60 000.00
PER YEAR.***

**INCREMENTAL SAVINGS
THAT NO DIESEL VEHICLE CAN MATCH**

SAVINGS OF ₹ 2.1/ km* ON FUEL.

BEST-IN-CLASS* MAINTENANCE OF 40 paise/ km



***POWER TO
MAKE MORE TRIPS.
AND MORE
PER TRIP.***

BEST-IN-INDUSTRY* POWER OF 8 kW

BEST-IN-CLASS** TORQUE OF 42 Nm

HIGHEST-IN-CLASS** PAYLOAD OF 550 kg

ADVANCED IP67 RATED MOTOR



**TECHNOLOGY THAT
GOES THE DISTANCE,
BATTERY
THAT NEEDS
NO MAINTENANCE.**

ADVANCED ZERO MAINTENANCE LITHIUM-ION BATTERY

LONG BATTERY LIFE OF 1.5 Lakh + km

3 YEARS/80 000 km STANDARD WARRANTY*



*3 YEARS/80 000 km WHICHEVER IS EARLIER.

***DELIVER MORE
THAN BEFORE.***

***BUT WITH
LESS FATIGUE
THAN EVER
BEFORE.***

CLUTCHLESS

DIRECT DRIVE TECHNOLOGY

NOISELESS

VIBRATION-FREE



***LOADS FASTER,
UNLOADS FASTER,
TO DO BUSINESS
FASTER.***

***BEST-IN-CLASS* LOADING HEIGHT OF 675 mm
CONVENIENT 3-WAY CARGO TRAY***



* WHEN COMPARED WITH ELECTRIC CARGO 3-WHEELERS

***FAR LONGER,
FAR MORE STABLE.***

***SO YOU AND
YOUR LOAD
REACH SAFER.***

LONGEST-IN-INDUSTRY* WHEELBASE: 2216 mm

LARGEST-IN-INDUSTRY* TYRES: 30.48 cm



***MANAGE YOUR FLEET
MORE EFFICIENTLY
THAN EVER.***

***USING
THE NEMO APP.***

REAL TIME PERFORMANCE TRACKING

MONITORING OPERATIONS

DATA AND MACHINE LEARNING

AND MUCH MORE



**A RANGE OF
VARIANTS TO
SUIT ALL
YOUR NEEDS.**

**LIKE NEVER
BEFORE.**



TREO
Zor DV

TREO
Zor

TREO
Zor FB

TECHNICAL SPECIFICATIONS

Variant	Pickup	Flatbed	Delivery Van
Vehicle category	L5N	L5N	L5N
Vehicle roof type	Hard Panel	Hard Panel	Hard Panel
Payload - kg	550	578	500
Volume - m ³	NA	NA	3.4
Vehicle Dimensions & Weight			
Dimensions - Length x Width x Height - mm	3100 X 1460 X 1762	3100 X 1460 X 1762	3100 X 1460 X 2175
Wheelbase - mm	2216	2216	2216
Ground clearance - mm	123	123	123
Rear track - mm	1220	1220	1220
Turning radius - m	3.05	3.05	3.05
Vehicle kerb weight - kg	445	417	495
Vehicle GVW - kg	995	995	995
Tray Size - Length x Width x Height (Inside dimensions) - mm	1500 X 1400 X 278	1570 X 1460	NA
Box Size - Length x Width x Height (Inside dimensions) - mm	NA	NA	1564 X 1452 X 1494
Performance			
Top Speed - km/h	50	50	50
Certified range - km	125	125	118
Gradeability - degree	7	7	7
Battery			
Battery type, Voltage - V	Lithium-ion, 48 V	Lithium-ion, 48 V	Lithium-ion, 48 V
Battery capacity (Installed) - kWh	7.37	7.37	7.37
Charging time at standard conditions	3 h 50 min	3 h 50 min	3 h 50 min
Drivetrain			
Peak power - kW	8	8	8
Peak torque - Nm	42	42	42
Transmission type	Direct drive technology	Direct drive technology	Direct drive technology
Suspension & Brakes			
Suspension - Front	Helical spring + Damper + Hydraulic shock absorber		
Suspension - Rear	Rigid axle with leaf spring		
Brakes - Front/ Rear	Hydraulic brake		
Parking brake	Mechanical lever type		
Features			
Windscreen and wiping system	✓	✓	✓
Spare wheel provision	✓	✓	✓
Driving modes - FNR (Forward, Neutral, Reverse)	✓	✓	✓
Economy and boost mode	✓	✓	✓
Lockable glove box	✓	✓	✓
12 V socket	✓	✓	✓
Telematics unit and GPS	✓	✓	✓
15 A off-board charger	✓	✓	✓
Hazard indicator	✓	✓	✓
Reverse buzzer	✓	✓	✓



TREO
Zor DV

TREO
Zor

TREO
Zor FB



Warranty: 3 years or 80 000 km, whichever is earlier. For accessories contact the Mahindra authorized dealers in your city. Accessories shown are not a part of the standard equipment. Performance figures may differ in conditions other than test conditions. Vehicle body colour may differ from the printed photographs. In view of our policy of continuously improving our products, we reserve the right to alter specifications or design without prior notice and without liability. We reserve the right to add or delete any feature or element in any of our models without any prior notice and without any liability. Please check model details with your nearest dealer.